



भारतीय प्रौद्योगिकी संस्थान भिलाई
जिला-दुर्ग, छत्तीसगढ़ भारत – 491002

Indian Institute of Technology Bhilai (IITBh)
Dist – Durg Chhattisgarh, India – 491002
www.iitbhilai.ac.in

क्र. / Enquiry No. IITBh/Services/Chem/2024-25/053

दिनांक / Dated: 26-06-2024

कोटेशन के लिए निवेदन / Notice Inviting Quotation (NIQ)

विषय / Sub: Inviting Quotation for dismantling work of chemistry lab furniture at transit campus of IIT, Bhilai.

Indian Institute of Technology Bhilai, Department of Chemistry would like to procure the services for dismantling work of chemistry lab furniture, for this purpose Quotations are invited from the reputed and bonafide service providers/suppliers:

S. No.	Quotation Required For	Unit	Price (in INR)	Total Price in Rupees
1.	Dismantling work with Transportation (Details mentioned at Annexure-1)	1 Set as mention below		
2.	Total price without GST (in Rs.)			
3.	GST % and (in Rs.)			
Total of 1 to 3				

नोट / Note: GST should be quoted as per the Government norms, In case due to any error/ oversight, the GST quoted by the bidder is less than the actual rate as per tariff, the bidder will not be permitted to rectify the error/oversight. The orders/ contract will be placed for the total amount including the (lower) rate/s quoted by the bidder, with the reduced basic amount to the extent of difference in tax amount, so that the total amount (basic + actual rate as per tariff), remains same (quoted basic + quoted rate). The difference amount payable, if any, between the quoted rate and actual rate as per tariff shall be borne by the bidder.

We are inviting the detailed quotations on letterhead for the above items in a sealed envelope to be submitted on or before 10-07-2024 by 3:00 PM at Stores and Purchase Section, Room No. 208, LDC Building 1st Floor, IIT-Bhilai, Durg.

नियम एवं शर्तें / Terms and Conditions:

1. **Evaluation:** The bidders who are meeting the above specifications and quoting the lowest rate for the required work will be awarded the purchase order.
2. The requirement mentioned is tentative and it may be increased or decreased based on the discretion of IIT Bhilai.
3. Prices should be in Indian Rupees and should be inclusive of all Taxes, Duties & FOR IIT Bhilai.
4. **The work shall be required to be done at Transit campus IIT-Bhilai i.e. GEC Campus, Sejbahar, Raipur-492001. And Transport to Permanent campus.
Pemanent campus address: -
IIT Bhilai, Kutelabhata Khapri, Dist – Durg CG 491002
Note; - Distance of old campus to permanent is approx. 50 KM.**
5. Your Quotation must be valid for a minimum of 90 days from the date of opening of tender.
6. The work shall be required to start and complete as per the instructions of IIT-Bhilai.
7. **The work should be started and completed within 30 days from the date of getting final approval of the work to be done.**
8. GST Number should be clearly mentioned in your offer, failing which your offer may not be considered.
9. Advance payment is not admissible. Payment shall normally be made within 30 days subject to receipt and acceptance (as per Work Order Terms) of the ordered materials/items.
10. Any other information that you may like to obtain, you are free to contact IIT Bhilai through mail at sp@iitbhilai.ac.in before submitting their quote.
11. IIT Bhilai reserves the right to accept and/or reject the tender without assigning any reason.

Note: If any bidder wishes to refer about the scope of work, they can come and contact to concerned department within the premises of IIT Bhilai.

Stores and Purchase Section
Indian Institute of Technology Bhilai
Room No. 208, LDC Building 1st Floor,
IIT-Bhilai, Durg, Chhattisgarh - 491002

Annexure-1

Details of furniture uninstillation (at chemistry lab room no. 307 & 08, Transit campus, IIT Bhilai Sejbahar Raipur) and transportation to Chemistry Department 9SD-1), permanent campus IIT Bhilai,Kutelabhatha Durg.

Sr. No.	Description of particulars	No./Quantity
1	Fume hood Exhaust unit	10
2	Island bench	04
3	Wall bench	01
4	Emergency Safety shower	01
5	Exhaust fan	08
6	Spot Extractor	16
7	PP+SRP ducting with necessary accessories	120 sq mtr. (approximate measurement)